

# Package ‘tidysbml’

February 4, 2025

**Type** Package

**Title** Extract SBML's data into dataframes

**Version** 1.0.0

**Description** Starting from one SBML file, it extracts information from each listOfCompartments, listOfSpecies and listOfReactions element by saving them into data frames. Each table provides one row for each entity (i.e. either compartment, species, reaction or speciesReference) and one set of columns for the attributes, one column for the content of the 'notes' subelement and one set of columns for the content of the 'annotation' subelement.

**License** CC BY 4.0

**Encoding** UTF-8

**RoxygenNote** 7.3.1

**Imports** xml2, methods

**Depends** R (>= 4.4.0)

**Suggests** rmarkdown, knitr, BiocStyle, biomaRt, RCy3, testthat (>= 3.0.0)

**biocViews** GraphAndNetwork, Network, Pathways, Software

**VignetteBuilder** knitr

**URL** <https://github.com/veronicapaparozzi/tidysbml>

**BugReports** <https://github.com/veronicapaparozzi/tidysbml/issues>

**Config/testthat/edition** 3

**git\_url** <https://git.bioconductor.org/packages/tidysbml>

**git\_branch** RELEASE\_3\_20

**git\_last\_commit** b3d7da1

**git\_last\_commit\_date** 2024-10-29

**Repository** Bioconductor 3.20

**Date/Publication** 2025-02-03

**Author** Veronica Paparozzi [aut, cre] (<<https://orcid.org/0009-0000-2961-1559>>),  
Christine Nardini [aut] (<<https://orcid.org/0000-0001-7601-321X>>)

**Maintainer** Veronica Paparozzi <[veronicapaparozzi1@gmail.com](mailto:veronicapaparozzi1@gmail.com)>

## Contents

as_df . . . . .	2
as_dfs . . . . .	3
sbml_as_list . . . . .	4
sbml_validate . . . . .	4
<b>Index</b>	<b>6</b>

---

as\_df

*Create a dataframe for the type of entity selected*

---

### Description

It takes in input a sbml-converted list zoomed at one 'listOf' level and produces one dataframe containing one row for each entity (i.e. either species, reaction or compartment) and columns for the attributes, notes and annotation content.

### Usage

```
as_df(sbml_list_listOf)
```

### Arguments

sbml\_list\_listOf  
sbml converted into a list restricted to a 'listOf' level (e.g. listOfSpecies), a list

### Details

Input list may be obtained using sbml\_as\_list() with the argument 'component' equal to 'species', 'reactions' or 'compartments', which returns a list zoomed at 'listOfSpecies', 'listOfReactions' or 'listOfCompartments' level, respectively. If the 'listOf' selected is 'listOfReactions' it returns one more dataframe: the first one with one row for each reaction, and the extra one with one row for each species involved in each reaction (i.e. entities called 'speciesReference' in the sbml). Each dataframe contains at least one column, since some attributes are mandatory, and also notes and annotation columns, if their content is not empty. If the dataframe is missing it means the sbml does not contain such information (i.e. no data about those entities).

### Value

one dataframe (or a list of two dataframes) containing information about the entities in the input list

### Examples

```
filepath <- system.file("extdata", "R-HSA-8937144.sbml", package = "tidysbml")

sbml_list <- sbml_as_list(filepath, "species")
df <- as_df(sbml_list) ## returns one dataframe with data about the species saved in the sbml document

sbml_list <- sbml_as_list(filepath, "reactions")
df <- as_df(sbml_list) ## returns one list containing two dataframe with data about the reactions and the specie
```

---

as_dfs	<i>Create a list of dataframes (full extraction)</i>
--------	--

---

## Description

It takes in input a sbml file (or sbml list) and returns a list of maximum 3 components, depending on which entities are actually reported in the sbml document. The first component contains the dataframe for listOfCompartments data, the second one for listOfSpecies data while the third component contains maximum two dataframes about reactions info (one with reactions data and the other one with data about the species involved in each reaction).

## Usage

```
as_dfs(sbml, type = "file")
```

## Arguments

sbml	either the path of the sbml file or the sbml already converted into a list, that is either a character string or a list respectively
type	description about the type of the first argument (i.e. 'file' or 'list'), a character string

## Details

This is the main function of the package. It comprehends all the other functions. Since it incorporates also the sbml\_as\_list() function it is possible to insert as input either the sbml path or the sbml already converted into a list. This is set up using the argument 'type' which has to be 'file' or 'list', respectively.

## Value

a list of dataframes

## Examples

```
filepath <- system.file("extdata", "R-HSA-8937144.sbml", package = "tidysbml")

sbml_list <- sbml_as_list(filepath)
as_dfs(sbml_list, type = "list") ## returns a list of dataframes, giving in input the sbml already converted into a list

as_dfs(filepath, type = "file") ## returns a list of dataframes, giving in input the sbml path
```

---

sbml_as_list	<i>Create R list from sbml file</i>
--------------	-------------------------------------

---

**Description**

This function converts a sbml file into a R list.

**Usage**

```
sbml_as_list(file, component = "all")
```

**Arguments**

file	path for the sbml file to be loaded
component	description of which entities (i.e. sbml level) have to be extracted into a list, a character string

**Details**

By selecting the argument 'component' as 'all' it returns the sbml-converted list looking at the highest level (i.e. 'sbml' tag), whereas if it equals either 'species', 'reactions' or 'compartments', the list can be restricted to the species/reactions/compartments level. The first option permits to use the resulting list as input for as\_dfs() function, while the other options provide the input for as\_df() function.

**Value**

sbml converted into a R list

**Examples**

```
filepath <- system.file("extdata", "R-HSA-8937144.sbml", package = "tidysbml")  
sbml_list <- sbml_as_list(filepath, "all") ## returns the R list with the entire sbml model  
sbml_as_list(filepath, "species") ## returns the R list restricted to the list of species  
sbml_as_list(filepath, "reactions") ## returns the R list restricted to the list of reactions  
sbml_as_list(filepath, "compartments") ## returns the R list restricted to the list of components
```

---

sbml_validate	<i>Validate SBML schema</i>
---------------	-----------------------------

---

**Description**

This function returns result of schema validation for the SBML document inserted.

**Usage**

```
sbml_validate(sbml_file)
```

**Arguments**

`sbml_file` xml object, e.g. output of `'xml2::read_xml()'`

**Details**

Validation is executed for SBML documents up to Level 2 Version 5, by using XML schemas provided in <http://sbml.org/documents/specifications/>. Otherwise returns error.

**Value**

a boolean value with error details as attribute

**Examples**

```
filepath <- system.file("extdata", "MODEL1012080000.xml", package = "tidysbml")
```

```
xml_file <- xml2::read_xml(filepath)
```

```
sbml_validate(xml_file) ## returns a boolean value as result of validation in addition to attribute containing e
```

# Index

[as\\_df](#), [2](#)

[as\\_dfs](#), [3](#)

[sbml\\_as\\_list](#), [4](#)

[sbml\\_validate](#), [4](#)